

W..DRS
 W..DRS [кВт]


P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]		
0.12	17	26	75.00*	1800	0.95					
	22	23	60.00*	1800	1.05					
	27	21	48.00*	1800	1.15					
	33	20	39.00*	1800	1.30					
	40	18	32.50*	1800	1.40					
	47	16	27.50*	1800	1.55					
	53	15	24.50*	1800	1.70					
	67	13	19.50*	1800	2.00					
	79	11	16.50*	1800	1.80					
	91	10	14.33	1800	2.2					
	127	7.7	10.25*	1800	1.70					
	159	6.3	8.20*	1800	1.90					
	198	5.3	6.57	1800	2.3					
	0.18	4.2	225	318	6080	0.80				
4.9		193	270	6320	0.95					
5.6		178	237	6420	1.00					
6.3		156	210	6560	1.15					
7.2		135	183	6680	1.35					
8.3		122	159	6760	1.50					
9.3		108	141	6840	1.65					
11		114	124	6900	1.40					
11		93	120	6930	1.95					
13		96	105	6990	1.65					
14		90	95	7020	1.75					
16		79	85	7070	2.0					
17		74	77	7090	2.2					
18		67	72	7120	2.4					
6.4		134	207	580	0.80					
7.2		121	184	2620	0.90					
8.2		110	160	3320	1.00					
9.3		99	141	3500	1.10					
11		88	125	3630	1.25					
12		79	109	3740	1.40					
14		71	96	3820	1.55					
16		61	82	3910	1.80					
18		64	73	3890	1.40					
21		56	63	3940	1.60					
25	48	53	4000	1.85						
27	44	48	4020	2.0						
18	69	74.98	7060	2.6						
19	64	68.93	7090	2.8						
22	56	58.98	7130	3.2						
26	49	51.12	7170	3.7						
28	46	47.78	7180	3.9						
32	40	41.30	7210	4.5						
42	34	31.62	7030	4.6						
19	60	69.05	3920	1.85						
21	56	63.33	3950	1.95						
24	49	53.92	4000	2.3						
28	43	46.49	4030	2.6						
35	36	37.88	4070	3.1						
38	37	34.52	4060	2.4						
42	34	31.67	4070	2.6						
48	27	27.78	4100	4.1						
49	29	26.96	4090	3.1						
57	26	23.25	4100	3.5						
62	21	21.33	4120	5.2						
70	21	18.94	4120	4.3						
12	62	75.00*	3000	1.15						
14	58	60.00*	3000	1.20						
27	39	32.50*	3000	1.80						
32	36	27.50*	3000	1.90						
						W 10 WF 10 WA 10 WAF 10	DT DT DT DT	56L4 56L4 56L4 56L4	5.3 5.5 5.3 5.5	643 644 645 644
						W 47R17 WF 47R17 WA 47R17 WAF 47R17	DR DR DR DR	63M4 63M4 63M4 63M4	18 19 17 18	661 661 661 661
						W 37R17 WF 37R17 WA 37R17 WAF 37R17	DR DR DR DR	63M4 63M4 63M4 63M4	13 13 13 13	661 661 661 661
						W 47 WF 47 WA 47 WAF 47	DR DR DR DR	63M4 63M4 63M4 63M4	16 16 14 15	658 659 660 659
						W 37 WF 37 WA 37 WAF 37	DR DR DR DR	63M4 63M4 63M4 63M4	10 10 10 10	652 653 655 653
						W 30 WF 30 WA 30 WAF 30	DR DR DR DR	63L6 63L6 63L6 63L6	9.8 10 9.5 9.8	649 650 651 650



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]		
0.18	18	44	75.00*	3000	1.60					
	22	40	60.00*	3000	1.75					
	28	35	48.00*	3000	2.00					
	34	32	39.00*	3000	2.2					
	41	27	32.50*	3000	2.6	W 30	DR	63M4	9.0	649
	48	25	27.50*	3000	2.8	WF 30	DR	63M4	9.4	650
	54	23	24.50*	3000	3.0	WA 30	DR	63M4	8.8	651
	68	20	19.50*	3000	3.6	WAF 30	DR	63M4	9.1	650
	81	17	16.33	3000	3.6					
	92	15	14.33	3000	3.9					
	129	12	10.25*	3000	4.3					
	161	9.5	8.20*	3000	4.2					
	201	7.9	6.57	2950	5.1					
	111	12	24.50*	3000	5.9					
	139	9.9	19.50*	3000	7.1	W 30	DR	63S2	9.0	649
	167	8.5	16.33	3000	7.1	WF 30	DR	63S2	9.4	650
	190	7.7	14.33	3000	7.8	WA 30	DR	63S2	8.8	651
	265	5.7	10.25*	2710	8.8	WAF 30	DR	63S2	9.1	650
	332	4.7	8.20*	2520	8.5					
	14	49	60.00*	2200	0.80	W 20	DR	63L6	7.3	646
32	35	27.50*	2200	1.15	WF 20	DR	63L6	7.4	647	
45	27	19.50*	2200	1.30	WA 20	DR	63L6	7.0	648	
					WAF 20	DR	63L6	7.0	647	
18	39	75.00*	2200	1.00						
22	34	60.00*	2200	1.15						
28	32	48.00*	2200	1.25						
34	29	39.00*	2200	1.40						
41	28	32.50*	2200	1.40	W 20	DR	63M4	6.6	646	
48	24	27.50*	2200	1.70	WF 20	DR	63M4	6.8	647	
54	22	24.50*	2200	1.85	WA 20	DR	63M4	6.3	648	
68	19	19.50*	2200	1.90	WAF 20	DR	63M4	6.3	647	
80	16	16.50*	2200	1.85						
92	15	14.33	2200	2.0						
129	11	10.25*	2110	2.2						
161	9.2	8.20*	1970	2.2						
201	7.7	6.57	1890	2.6						
111	11	24.50*	2200	3.6						
139	9.4	19.50*	2070	3.7	W 20	DR	63S2	6.6	646	
165	8.2	16.50*	1970	3.7	WF 20	DR	63S2	6.8	647	
190	7.5	14.33	1890	4.0	WA 20	DR	63S2	6.3	648	
265	5.6	10.25*	1710	4.5	WAF 20	DR	63S2	6.3	647	
332	4.6	8.20*	1590	4.4						
0.25	7.1	196	183	6300	0.90					
	8.2	175	159	6430	1.05					
	9.2	157	141	6550	1.15					
	11	164	124	6630	0.95	W 47R17	DR	63L4	19	661
	11	134	120	6690	1.35	WF 47R17	DR	63L4	20	661
	12	139	105	6760	1.15	WA 47R17	DR	63L4	18	661
	14	129	95	6820	1.25	WAF 47R17	DR	63L4	18	661
	15	114	85	6900	1.40					
	17	106	77	6940	1.50					
	18	97	72	6980	1.65					
	10	128	125	1880	0.85					
	12	114	109	3220	0.95					
	14	102	96	3450	1.10	W 37R17	DR	63L4	14	661
	16	86	82	3640	1.25	WF 37R17	DR	63L4	14	661
	18	92	73	3580	0.95	WA 37R17	DR	63L4	14	661
	21	82	63	3720	1.10	WAF 37R17	DR	63L4	14	661
	24	70	53	3840	1.30					
	27	64	48	3880	1.40					
	12	135	74.98	6680	1.35	W 47	DRS	71S6	18	658
	13	125	68.93	6740	1.45	WF 47	DRS	71S6	19	659
					WA 47	DRS	71S6	17	660	
					WAF 47	DRS	71S6	17	659	
17	97	74.98	6910	1.85	W 47	DR	63L4	16	658	
19	90	68.93	6950	2.0	WF 47	DR	63L4	17	659	
22	78	58.98	7010	2.3	WA 47	DR	63L4	15	660	
25	69	51.12	7060	2.6	WAF 47	DR	63L4	16	659	
27	65	47.78	7080	2.8						


W..DRS
 W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]			
0.25	19	85	69.05	3680	1.30						
	21	79	63.33	3750	1.40						
	24	68	53.92	3850	1.60						
	28	60	46.49	3920	1.85						
	34	50	37.88	3990	2.2						
	38	52	34.52	3980	1.75						
	41	48	31.67	4000	1.90						
	47	38	27.78	4060	2.9						
	48	41	26.96	4040	2.2						
	56	36	23.25	4060	2.5						
	61	30	21.33	4090	3.7						
	69	30	18.94	4090	3.0						
	83	25	15.67	4110	3.6						
	94	22	13.89	4110	4.0						
	102	21	12.70	4120	3.3						
112	20	11.65	4120	3.6							
122	17	10.67	3910	5.2							
131	17	9.92	3920	4.2							
12	84	75.00*	3000	0.85							
15	78	60.00*	3000	0.90							
28	53	32.50*	3000	1.35							
37	46	24.50*	3000	1.50							
46	39	19.50*	3000	1.80							
17	62	75.00*	3000	1.15							
22	57	60.00*	3000	1.25							
27	50	48.00*	3000	1.40							
33	45	39.00*	3000	1.55							
40	38	32.50*	3000	1.85							
47	35	27.50*	3000	2.00							
53	33	24.50*	3000	2.1							
67	28	19.50*	3000	2.5							
80	24	16.33	3000	2.5							
91	22	14.33	3000	2.8							
127	16	10.25*	3000	3.1							
159	13	8.20*	3000	3.0							
198	11	6.57	2940	3.6							
109	17	24.50*	3000	4.2							
136	14	19.50*	3000	5.0							
163	12	16.33	3000	5.0							
186	11	14.33	3000	5.5							
260	8.1	10.25*	2700	6.2							
324	6.6	8.20*	2520	6.1							
33	47	27.50*	2200	0.85							
37	43	24.50*	2200	0.95							
46	37	19.50*	2200	0.95							
62	30	14.33	2200	1.00							
87	22	10.25*	2200	1.10							
109	19	8.20*	2190	1.10							
136	16	6.57	2090	1.30							
22	48	60.00*	2200	0.85							
27	44	48.00*	2200	0.90							
33	41	39.00*	2200	1.00							
40	40	32.50*	2200	1.00							
47	34	27.50*	2200	1.20							
53	30	24.50*	2200	1.30							
67	26	19.50*	2200	1.35							
79	23	16.50*	2200	1.30							
91	21	14.33	2200	1.45							
127	16	10.25*	2050	1.60							
159	13	8.20*	1920	1.55							
198	11	6.57	1860	1.85							
82	21	32.50*	2200	1.95							
97	17	27.50*	2200	2.3							
109	16	24.50*	2150	2.6							
136	13	19.50*	2020	2.6							
161	12	16.50*	1930	2.6							
186	11	14.33	1860	2.8							
260	7.9	10.25*	1680	3.2							
324	6.5	8.20*	1570	3.1							
						W	37	DR	63L4	11	652
						WF	37	DR	63L4	11	653
						WA	37	DR	63L4	11	655
						WAF	37	DR	63L4	11	653
						W	30	DRS	71S6	12	649
						WF	30	DRS	71S6	12	650
						WA	30	DRS	71S6	11	651
						WAF	30	DRS	71S6	12	650
						W	30	DR	63L4	9.8	649
						WF	30	DR	63L4	10	650
						WA	30	DR	63L4	9.5	651
						WAF	30	DR	63L4	9.8	650
						W	30	DR	63M2	9.0	649
						WF	30	DR	63M2	9.4	650
						WA	30	DR	63M2	8.8	651
						WAF	30	DR	63M2	9.1	650
						W	20	DRS	71S6	9.1	646
						WF	20	DRS	71S6	9.2	647
						WA	20	DRS	71S6	8.8	648
						WAF	20	DRS	71S6	8.8	647
						W	20	DR	63L4	7.3	646
						WF	20	DR	63L4	7.4	647
						WA	20	DR	63L4	7.0	648
						WAF	20	DR	63L4	7.0	647
						W	20	DR	63M2	6.6	646
						WF	20	DR	63M2	6.8	647
						WA	20	DR	63M2	6.3	648
						WAF	20	DR	63M2	6.3	647



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B			m [кг]			
0.37	9.8	220	141	6110	0.80						
	11	192	120	6320	0.95						
	13	198	105	6430	0.80	W	47R17	DRS	71S4	21	661
	15	183	95	6520	0.90	WF	47R17	DRS	71S4	21	661
	16	163	85	6640	1.00	WA	47R17	DRS	71S4	19	661
	18	150	77	6710	1.05	WAF	47R17	DRS	71S4	20	661
	19	138	72	6770	1.15						
	17	126	82	2020	0.85	W	37R17	DRS	71S4	15	661
	26	100	53	3480	0.90	WF	37R17	DRS	71S4	15	661
	29	91	48	3600	1.00	WA	37R17	DRS	71S4	15	661
						WAF	37R17	DRS	71S4	15	661
	12	198	74.98	6280	0.90	W	47	DRS	71M6	19	658
	13	184	68.93	6380	1.00	WF	47	DRS	71M6	20	659
	15	160	58.98	6530	1.15	WA	47	DRS	71M6	18	660
	18	141	51.12	6650	1.30	WAF	47	DRS	71M6	19	659
	19	133	47.78	6700	1.35						
	18	136	74.98	6680	1.30						
	20	126	68.93	6740	1.45						
	23	110	58.98	6830	1.65						
27	97	51.12	6910	1.85							
29	91	47.78	6940	2.00							
33	80	41.30	6950	2.2							
39	69	35.09	6970	2.6							
44	68	31.62	6570	2.4							
44	62	31.33	6470	2.9	W	47	DRS	71S4	18	658	
50	59	27.41	6320	2.7	WF	47	DRS	71S4	19	659	
52	54	26.76	6210	3.3	WA	47	DRS	71S4	17	660	
54	56	25.62	6200	2.9	WAF	47	DRS	71S4	17	659	
55	51	25.07	6100	3.6							
62	48	22.15	5980	3.3							
73	42	18.82	5690	3.9							
82	37	16.80	5500	4.3							
96	32	14.35	5260	5.0							
112	29	12.30	5120	3.7							
129	26	10.66	4900	4.3							
139	24	9.96	4790	4.6							
22	110	63.33	3310	1.00							
26	96	53.92	3540	1.15							
30	84	46.49	3680	1.30							
36	70	37.88	3830	1.55							
40	73	34.52	3810	1.25							
44	67	31.67	3860	1.35							
50	53	27.78	3970	2.1							
51	58	26.96	3930	1.55	W	37	DRS	71S4	13	652	
59	50	23.25	3990	1.80	WF	37	DRS	71S4	13	653	
65	42	21.33	4040	2.6	WA	37	DRS	71S4	13	655	
73	42	18.94	4040	2.2	WAF	37	DRS	71S4	13	653	
88	35	15.67	4070	2.6							
99	31	13.89	4030	2.9							
109	30	12.70	4090	2.3							
118	27	11.65	3990	2.6							
129	24	10.67	3740	3.7							
139	23	9.92	3800	3.0							
161	20	8.55	3630	3.5							
18	86	75.00*	3000	0.80							
23	80	60.00*	3000	0.90							
29	69	48.00*	3000	1.00							
35	63	39.00*	3000	1.10							
42	53	32.50*	3000	1.30							
50	49	27.50*	3000	1.40	W	30	DRS	71S4	12	649	
56	46	24.50*	3000	1.55	WF	30	DRS	71S4	12	650	
71	39	19.50*	3000	1.80	WA	30	DRS	71S4	11	651	
84	33	16.33	3000	1.80	WAF	30	DRS	71S4	12	650	
96	30	14.33	3000	2.00							
135	23	10.25*	3000	2.2							
168	19	8.20*	3000	2.1							
210	16	6.57	2870	2.6							


W..DRS
 W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]			
0.37	108	25	24.50*	3000	2.8						
	136	21	19.50*	3000	3.4	W	30	DRS	63L2	9.8	649
	162	18	16.33	3000	3.4	WF	30	DR	63L2	10	650
	185	16	14.33	2940	3.7	WA	30	DR	63L2	9.5	651
	259	12	10.25*	2660	4.1	WAF	30	DR	63L2	9.8	650
	323	9.9	8.20*	2480	4.0						
	50	47	27.50*	2200	0.85						
	56	43	24.50*	2200	0.95						
	71	37	19.50*	2200	0.95	W	20	DRS	71S4	9.1	646
	84	32	16.50*	2180	0.95	WF	20	DRS	71S4	9.2	647
96	29	14.33	2130	1.00	WA	20	DRS	71S4	8.8	648	
135	22	10.25*	1970	1.15	WAF	20	DRS	71S4	8.8	647	
168	18	8.20*	1020	1.10							
210	15	6.57	1510	1.30							
108	23	24.50*	2020	1.70							
136	20	19.50*	1920	1.75	W	20	DR	63L2	7.3	646	
161	17	16.50*	1840	1.75	WF	20	DR	63L2	7.4	647	
185	16	14.33	1780	1.90	WA	20	DR	63L2	7.0	648	
259	12	10.25*	1620	2.1	WAF	20	DR	63L2	7.0	647	
323	9.6	8.20*	1530	2.1							
0.55	18	205	51.12	6220	0.85						
	19	195	47.78	6300	0.90						
	22	172	41.30	6460	1.05	W	47	DRS	80S6	22	658
	26	148	36.09	6600	1.20	WF	47	DRS	80S6	22	659
	29	149	31.62	6710	1.05	WA	47	DRS	80S6	20	660
	29	134	31.33	6630	1.35	WAF	47	DRS	80S6	21	659
	33	130	27.41	6590	1.25						
	36	122	25.62	6500	1.30						
	18	200	74.98	6250	0.90						
	20	188	68.93	6350	0.95						
23	163	58.98	6510	1.10							
27	144	51.12	6630	1.25							
29	135	47.78	6640	1.35	W	47	DRS	71M4	19	658	
33	119	41.30	6460	1.50	WF	47	DRS	71M4	20	659	
39	102	35.09	6240	1.75	WA	47	DRS	71M4	18	660	
44	101	31.62	6220	1.60	WAF	47	DRS	71M4	19	659	
44	92	31.33	6090	1.95							
50	88	27.41	6010	1.80							
54	83	25.62	5920	1.95							
36	104	37.89	3410	1.05							
44	100	31.67	3480	0.90							
50	79	27.78	3740	1.40							
51	86	26.96	3860	1.05							
59	75	23.25	3790	1.20							
65	62	21.33	3900	1.75							
73	62	18.94	3900	1.45							
88	52	16.87	3940	1.75	W	37	DRS	71M4	14	652	
99	46	13.89	3830	1.95	WF	37	DRS	71M4	14	653	
109	44	12.70	3990	1.60	WA	37	DRS	71M4	14	655	
118	41	11.65	3900	1.70	WAF	37	DRS	71M4	14	653	
129	36	10.67	3590	2.5							
139	35	9.92	3720	2.0							
161	30	8.55	3560	2.3							
198	24	6.97	3350	2.9							
239	20	5.77	3160	3.4							
270	18	5.11	3050	3.9							
352	14	3.93	2810	5.0							
42	79	32.50*	3000	0.90							
50	73	27.50*	3000	0.95							
56	68	24.50*	3000	1.05	W	30	DRS	71M4	13	649	
84	50	16.33	3000	1.20	WF	30	DRS	71M4	13	650	
96	45	14.33	3000	1.35	WA	30	DRS	71M4	13	651	
135	34	10.25*	3000	1.45	WAF	30	DRS	71M4	13	650	
168	28	8.20*	2980	1.45							
210	23	6.57	2800	1.70							



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
0.55	115	35	24.50*	3000	2.0			
	144	29	19.50*	3000	2.4	W 30	DRS 71M2	13 649
	172	25	16.33	2940	2.4	WF 30	DRS 71M2	13 650
	196	23	14.33	2840	2.6	WA 30	DRS 71M2	13 651
	274	17	10.25*	2650	2.9	WAF 30	DRS 71M2	13 650
0.75	343	14	8.20*	2420	2.9			
	24	220	58.98	6130	0.80			
	27	194	51.12	6060	0.95			
	29	182	47.78	6010	1.00			
	34	160	41.30	5900	1.15			
	40	138	35.09	5760	1.30			
	44	136	31.62	5820	1.20	W 47	DRS 80S4	22 658
	45	124	31.33	5650	1.45	WF 47	DRS 80S4	22 659
	51	118	27.41	5660	1.35	WA 47	DRS 80S4	20 660
	52	108	26.76	5490	1.65	WAF 47	DRS 80S4	21 659
	55	111	25.62	5580	1.45			
	56	102	25.07	5420	1.75			
	63	97	22.15	5410	1.65			
	74	83	18.82	5220	1.95			
	114	59	12.30	4890	1.85			
1.1	45	119	31.33	2820	0.95			
	50	107	27.78	3380	1.05			
	60	101	23.25	3470	0.90			
	66	84	21.33	3690	1.30			
	74	83	18.94	3700	1.10			
	89	69	15.67	3690	1.30	W 37	DRS 80S4	16 652
	101	62	13.89	3610	1.45	WF 37	DRS 80S4	16 653
	131	48	10.67	3420	1.85	WA 37	DRS 80S4	16 655
	141	47	9.92	3620	1.50	WAF 37	DRS 80S4	16 653
	164	40	8.55	3470	1.75			
	201	33	6.97	3280	2.1			
	243	27	5.77	3100	2.6			
	274	24	5.11	2990	2.9			
	357	19	3.93	2760	3.7			
	438	15	3.20*	2600	4.6			
1.5	86	67	16.33	3000	0.90	W 30	DRS 80S4	15 649
	98	61	14.33	3000	1.00	WF 30	DRS 80S4	15 650
	137	46	10.25*	3000	1.10	WA 30	DRS 80S4	15 651
	171	37	8.20*	2870	1.05	WAF 30	DRS 80S4	15 650
	213	31	6.57	2720	1.25			
2.2	114	48	24.50*	3000	1.45	W 30	DRS 80S2	15 649
	171	34	16.33	2840	1.75	WF 30	DRS 80S2	15 650
	195	31	14.33	2750	1.95	WA 30	DRS 80S2	15 651
	273	23	10.25*	2620	2.2	WAF 30	DRS 80S2	15 650
	341	19	8.20*	2380	2.1			
3.0	40	200	35.09	4940	0.90			
	45	198	31.62	5140	0.80			
	45	181	31.33	4920	1.00			
	51	173	27.41	5070	0.95			
	53	157	26.76	4850	1.15			
	55	162	25.62	5030	1.00			
	56	148	25.07	4820	1.20	W 47	DRS 80M4	24 658
	64	141	22.15	4930	1.15	WF 47	DRS 80M4	25 659
	75	121	18.82	4810	1.30	WA 47	DRS 80M4	23 660
	84	108	16.80	4710	1.45	WAF 47	DRS 80M4	24 659
	98	93	14.35	4570	1.70			
	105	88	13.44	4510	1.80			
	115	86	12.30	4700	1.30			
	132	74	10.66	4530	1.50			
	142	70	9.96	4450	1.60			
164	60	8.61	4280	1.80				


W..DRS
 W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{(1)}$ [Н]	SEW f_B			m [кг]									
1.1	90	101	15.67	3280	0.90	W WF WA WAF	37 37 37 37	DRS DRS DRS DRS	80M4 80M4 80M4 80M4	19 19 19 19 19 359 441	652 653 655 653						
	102	90	13.89	3240	1.00												
	132	70	10.67	3120	1.30												
	142	68	9.92	3460	1.05												
	165	59	8.55	3340	1.20												
	202	48	6.97	3160	1.45												
	245	40	5.77	3010	1.75												
	276	35	5.11	2910	2.00												
	359	27	3.93	2700	2.6												
	441	22	3.20*	2540	3.1												
	174	50	16.33	2660	1.20							W WF WA WAF	30 30 30 30	DRS DRS DRS DRS	80M2 80M2 80M2 80M2	18 18 17 18	649 650 651 650
198	45	14.33	2590	1.35													
277	34	10.25*	2540	1.50													
346	27	8.20*	2290	1.45													
1.5	52	215	26.76	4130	0.85	W WF WA WAF	47 47 47 47	DRS DRS DRS DRS	90M4 90M4 90M4 90M4	29 30 28 29	658 659 660 659						
	56	200	25.07	4140	0.90												
	63	194	22.15	4400	0.80												
	74	166	18.82	4350	0.95												
	83	150	16.80	4300	1.05												
	97	129	14.35	4220	1.25												
	104	121	13.44	4180	1.30												
	123	103	11.32	4070	1.55												
	131	102	10.66	4360	1.05												
	140	96	9.96	4290	1.15												
	162	83	8.61	4140	1.30												
	191	71	7.32	3980	1.55												
	214	63	6.53	3860	1.75												
	131	97	10.67	2800	0.95							W WF WA WAF	37 37 37 37	DRS DRS DRS DRS	90M4 90M4 90M4 90M4	23 23 23 23	652 653 655 653
	163	81	8.55	3200	0.85												
	200	66	6.97	3050	1.05												
	242	55	5.77	2920	1.30												
	273	49	5.11	2830	1.45												
	355	38	3.93	2640	1.85												
	436	31	3.20*	2490	2.3												
98	188	14.35	3590	0.85	W WF WA WAF	47 47 47 47	DRS DRS DRS DRS	90L4 90L4 90L4 90L4	32 32 30 31	658 659 660 659							
104	177	13.44	3580	0.90													
124	150	11.32	3560	1.05													
163	121	8.61	3880	0.90													
191	104	7.32	3750	1.05													
214	93	6.53	3660	1.20													
251	79	5.58	3530	1.40													
268	74	5.23	3480	1.50													
318	63	4.40	3330	1.75													
360	56	3.89	3230	2.00													
429	47	3.27	3090	2.4													
243	80	5.77	2740	0.90							W WF WA WAF	37 37 37 37	DRS DRS DRS DRS	90L4 90L4 90L4 90L4	26 26 26 26	652 653 655 653	
274	71	5.11	2670	1.00													
357	55	3.93	2520	1.30													
438	45	3.20*	2390	1.55													
214	126	6.53	3440	0.85	W WF WA WAF	47 47 47 47	DRS DRS DRS DRS	100M4 100M4 100M4 100M4	37 37 35 36	658 659 660 659							
251	108	5.58	3340	1.00													
268	101	5.23	3300	1.10													
318	86	4.40	3180	1.30													
360	76	3.89	3060	1.45													
429	64	3.27	2970	1.70													
4.0	276	131	5.23	3050	0.85	W WF WA WAF	47 47 47 47	DRS DRS DRS DRS	100LC4 100LC4 100LC4 100LC4	42 42 40 41	658 659 660 659						
	328	111	4.40	2970	1.00												
	372	98	3.89	2910	1.10												
	442	82	3.27	2810	1.35												
5.5	372	135	3.89	2660	0.80	W WF WA WAF	47 47 47 47	DRS DRS DRS DRS	132S4 132S4 132S4 132S4	55 55 53 54	658 659 660 659						
	442	113	3.27	2600	0.95												